

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S103	2	"20060123145"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S104	2409	710/8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S105	1232	710/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S106	2	"5530673".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S107	32506	((configur\$4 or setup \$3) same (hardware or module or subsystem)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S108	4	S107 and "control ID"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S109	4001	S107 and "control signal"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S110	202	S109 and SOC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22

S111	6	2004/0004239	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S112	2	"20040004239"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S113	1825	((USB or "universal serial bus") same (block or circuit) same ((multiple or plural\$3) adj\$ port)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S114	15	"6862643"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S115	2	"20030041205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S116	2	"20060123145"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S117	2409	710/8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S118	1232	710/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S119	2	"5530673".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S120	32506	((configur\$4 or setup \$3) same (hardware or module or subsystem)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22

S121	4	S120 and "control ID"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S122	4001	S120 and "control signal"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S123	202	S122 and SOC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S124	6	2004/0004239	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S125	2	"20040004239"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S126	1825	((USB or "universal serial bus") same (block or circuit) same ((multiple or plural\$3) adj\$ port)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S127	15	"6862643"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S128	2	"20030041205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S129	2	"6640252"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S130	7	"6640262"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22

S131	10545	((multiple many plural \$4) with register with configur\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S132	672	((multiple many plural \$4) with configur\$6 with single with writ\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S133	87	S131 and S132	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S134	2409	710/8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S135	96	S131 and S134	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S136	96	S135 not S133	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S137	3638	713/2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S138	144	S134 and S137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S139	135	S138 not S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22

S140	135	S139 not S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S141	10545	((multiple many plural \$4) with register with configur\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S142	921	((multiple many plural \$4) with register with configur\$6).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S143	672	((multiple many plural \$4) with configur\$6 with single with writ\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S144	9	S142 and S143	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S145	2409	710/8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S146	96	S141 and S145	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S147	3638	713/2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S148	2409	710/8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22

S149	144	S148 and S147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S150	1348	(load\$4 with (initialization configuration) with (program data)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S151	868	((USB "universal serial bus") with (block circuit) with ((multiple plural\$3) adj\$ port)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S152	1	S150 and S151	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S153	29	((simultaneous instant parallel) with (load\$4 writ\$4) with (multiple plural4) with register). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S154	31	((simultaneous instant parallel) with (load\$4 writ\$4) with (multiple plural4) with register). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S155	49	((simultaneous\$2 instant\$5 parallel) with (load\$4 writ\$4) with (multiple plural4) with register).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S156	425	((simultaneous\$2 instant\$5 parallel) with (load\$4 writ\$4) with (multiple plural4) with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S157	0	S151 and S156	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22

S158	2	S150 and S156	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S159	1	S147 and S156	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S160	1	S148 and S156	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S161	0	(encapsulat\$4 with (multiple plural\$4 several many) with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S162	80	(encapsulat\$4 with (multiple plural\$4 several many) with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S163	22916	((configur\$4 setup\$3) with (hardware module subsystem)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S164	34	S150 and S163	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S165	63	S147 and S163	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S166	41	(control with Interrupt with Isochronous with Bulk with mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22

S167	451	(control with Interrupt with Isochronous with Bulk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S168	54	S163 and S167	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S169	53	S168 not S166	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S170	2409	710/8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S171	1232	710/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S172	22916	((configur\$4 setup\$3) with (hardware module subsystem)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S173	2866	S172 and "control signal"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S174	2	"20040004239"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S175	108	S173 and ((multiple many plural\$4) with register with configur \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S176	672	((multiple many plural \$4) with configur\$6 with single with writ\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22

S177	10545	((multiple many plural \$4) with register with configur\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S178	87	S176 and S177	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S179	81	S178 not S175	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S180	1434	(writ\$4 with (many multiple plural\$4) with register).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S181	23	(writ\$4 with config\$4 with data with (many multiple plural\$4) with register).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S182	256	(writ\$4 with config\$4 with data with (many multiple plural\$4) with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S183	46	S180 and S182	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S184	23	S183 not S181	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22

S185	552	(writ\$4 with (multiple many plural\$4) with configur\$4 with (many plural\$4 multiple) with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S186	539	(writ\$4 with (multiple many plural\$4) with configur\$4 with (many plural\$4 multiple) with register)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2010/06/29 17:22
S187	21	S186 and ((reconfig\$4 with (system subsystem)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2010/06/29 17:22
S188	10	((load\$4 writ\$4) with configuration with (file data) with hardware with registers).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S189	117	((load\$4 writ\$4) with configuration with (file data) with hardware with registers)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S190	3638	713/2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S191	6	S190 and (writ\$4 with (multiple many plural \$4) with configur\$4 with (many plural\$4 multiple) with register)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2010/06/29 17:22
S192	63	S190 and ((configur\$4 setup\$3) with (hardware module subsystem)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S193	883	S190 and ((configur\$4 setup\$3) with (hardware module subsystem))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22

S194	67	S190 and ((multiple many plural\$4) with register with configur \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S195	63	S194 not S192	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S196	1439	710/104.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S197	109	S190 and S196	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S198	43	S196 and ((configur\$4 setup\$3) with (hardware module subsystem)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S199	39	S198 not S197	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/29 17:22
S200	23	((load\$4 writ\$4) with configuration with (file data) with hardware with registers).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 21:46
S201	160	(writ\$4 with config\$4 with data with (many multiple plural\$4) with register).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 21:51
S202	236	((multiple many plural \$4) with configur\$6 with single with writ\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 21:52

S203	12	S201 and S202	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 21:52
S204	644	((USB "universal serial bus") with (block circuit) with ((multiple plural\$3) adj\$ port)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 21:54
S205	0	S201 and S204	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 21:54
S206	1	S202 and S204	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 21:54
S207	36	((simltaneous instant parallel) with (load\$4 writ\$4) with (multiple plural4) with register). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 21:55
S208	30	(encapsulat\$4 with (multiple plural\$4 several many) with register).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 22:00
S209	143600	Philips.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 22:56
S210	0	S209 and (writ\$4 with config\$4 with data with (many multiple plural \$4) with register).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 22:57
S211	3	S209 and ((multiple many plural\$4) with configur\$6 with single with writ\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 22:57

S212	45	(Goff adj Lonnie).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/30 22:58
------	----	-----------------------	---	----	----	---------------------

6/ 30/ 2010 11:08:27 PM

C:\ Documents and Settings\ emamo\ My Documents\ EAST\ Workspaces\ 10538458.wsp